Application No.	Applicant(s)
09/899,466	HUDSON, KEVIN R.
Examiner	Art Unit
Satwant K. Singh	2626
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.	
1. This communication is responsive to <u>05 July 2001</u> .	
2. The allowed claim(s) is/are <u>1-24.</u>	
3. The drawings filed on 5 July 2001 are accepted by the Examiner.	
4.	
6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendr	te
	Satwant K. Singh  ars on the cover sheet with the coordinate communication of the appropriate communication of the subject to and MPEP 1308.  This application is subject to and MPEP 1308.  The series of the communication is subject to and MPEP 1308.  The series of the subject is a subject to and MPEP 1308.  The series of the subject is a subject to any subject is a subject to any subje

Application/Control Number: 09/899,466 Page 2

Art Unit: 2626

## **DETAILED ACTION**

## **Drawings**

1. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the drawings submitted on 5 July 2001 are informal. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

## Allowable Subject Matter

- 2. Claims 1-24 are allowed.
- 3. Regarding Claim 1, Noyes et al. (US 6.213.584), Otsuki (US 6,705,695), and Hamamoto et al. (US 6,863,367) teach a method for printing with a bidirectional inkjet printer, comprising: converting a first set of color pixel data having a direction-independent data format into a second set of color pixel data having a direction-dependent data format, the direction-dependent format including at least one direction-independent data segment and at least one pair of direction-dependent data segments.

Noyes et al. (US 6.213.584), Otsuki (US 6,75,695), and Hamamoto et al. (US 6,863,367) fail to teach a method for printing with a bidirectional inkjet print, comprising: selecting the at least one direction-independent data segment and one of each of the at

Art Unit: 2626

least one pair of direction-dependent data segments for printing the second set of color pixel data in a corresponding print direction.

- 4. It follows that dependent claims 2-14 are allowable for depending on an allowable base claim.
- 5. Regarding Claim 15, Noyes et al. (US6.213.584), Otsuki (US 6,705,695), and Hamamoto et al. (US 6,863,367) teach a color map for converting an input pixel having a print-direction-independent color into an output pixel having a print-directiondependent color, comprising: a plurality of table entries, each entry having a discrete input color value and a corresponding discrete output color value; wherein each input color value further comprised a prespecified combination of primitive values for printdirection-independent input color primitives.

Noyes et al. (US6.213.584), Otsuki (US 6,705,695), and Hamamoto et al. (US 6,863,367) fail to teach a color map for converting an input pixel having a print-directionindependent color into an output pixel having a print-direction-dependent color, comprising: wherein each output color value further comprises a prespecified combination of primitive values for at least one print-direction-independent output color primitive and at least one pair of print-direction-dependent output color primitives.

- 6. It follows that dependent claims 16-20 are allowable for depending on an allowable base claim.
- 7. Regarding Claim 21, Noyes et al. (US6.213.584), Otsuki (US 6,705,695), and Hamamoto et al. (US 6,863,367) teach a color printing system, comprising: a print engine for controllably ejecting drops of colored inks during bidirectional scanning; a

Application/Control Number: 09/899,466

Art Unit: 2626

color converter adapted to receive color print data and generate a set of data channels relating to the colored inks, the data channels including at least one-print-direction-independent data channel and least one pair of print-direction-dependent data channels.

Noyes et al. (US6.213.584), Otsuki (US 6,705,695), and Hamamoto et al. (US 6,863,367) fail to teach a color printing system, comprising: a print controller communicatively coupled to the color converter for receiving the data channels and to the print engine for controlling the scanning direction and the ejecting, the controller configured to print data from the at least one print-direction-independent data channel during scanning in both directions and from a different one of the at least one pair of print-direction-dependent data channels during scanning in each opposite direction.

- 8. It follows that dependent claim 22 is allowable for depending on an allowable base claim.
- 9. Regarding Claim 23, Noyes et al. (US6.213.584), Otsuki (US 6,705,695), and Hamamoto et al. (US 6,863,367) teach a color printing system, comprising: a print engine for controllably ejecting drops of colored inks during bidirectional scanning; a color converter adapted to receive color print data and generate a set of data channels relating to the ink colors of the system, the data channels including a single data channel for some ink colors and a pair of data channels for other ink colors.

Noyes et al. (US6.213.584), Otsuki (US 6,705,695), and Hamamoto et al. (US 6,863,367) fail to teach a color printing system, comprising: a print controller communicatively coupled to the color converter for receiving the data channels and to

Art Unit: 2626

the print engine for controlling the scanning direction and the ejecting, the controller configured to determine which of the pair of data channels to use during printing in a particular scanning direction so as to cause a particular color of print data to have the same perceived color when printed in either scanning direction.

10. It follows that dependent claims 24 is allowable for depending on an allowable base claim.

## Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Satwant K. Singh whose telephone number is (571) 272-7468. The examiner can normally be reached on Monday thru Friday 8am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kimberly A. Williams can be reached on (571) 272-7471. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Satwant K. Singh

Examiner Art Unit 2626

Satward Sef D

MARK WALLERSON PRIMARY EXAMINER